

Jason Industrial

Multi-Plus[®] Dual Brand V-Belts



- For Heating
- Air Conditioning
- Ventilation
- Refrigeration
- Industrial



A COMPLETE LINE OF PREMIUM REPLACEMENT BELTING

JASON




January 1, 2003

Multi-Plus®

The new brand on **Multi-Plus®** belts clearly identifies both RMA classical part number and dimensionally equivalent FHP number. This new labeling system is designed to reduce your total V-Belt cost.

Multi-Plus® Dual Brand belts allow both distributor and end user to consolidate their existing classical and FHP belt sizes into a single belt line that will handle both drive applications, resulting in a reduced inventory that equates to dollars saved for you.

- every belt type you'll ever encounter
- made to perform
- priced to compete





F.H.P. V-BELTS

3L SECTION 3/8" Top x 7/32" Thick x 40° Angle

Belt Number	Outside Length	List Price
3L 110	11"	\$ 4.72
3L 120	12"	4.72
3L 130	13"	4.72
3L 140	14"	4.72
3L 150	15"	4.72
3L 160	16"	4.72
3L 170	17"	4.72
3L 180	18"	4.72
3L 190	19"	4.72
3L 200	20"	4.72
3L 210	21"	4.72
3L 220	22"	4.72
3L 230	23"	4.72
3L 240	24"	4.72
3L 250	25"	4.72
3L 260	26"	4.80
3L 270	27"	4.88
3L 280	28"	4.96
3L 290	29"	5.04
3L 300	30"	5.12
3L 310	31"	5.16
3L 320	32"	5.24
3L 330	33"	5.32

Belt Number	Outside Length	List Price
3L 340	34"	\$ 5.40
3L 350	35"	5.52
3L 360	36"	5.60
3L 370	37"	5.72
3L 380	38"	5.84
3L 390	39"	5.96
3L 400	40"	6.08
3L 410	41"	6.20
3L 415	41.5"	6.28
3L 420	42"	6.28
3L 430	43"	6.36
3L 440	44"	6.44
3L 450	45"	6.56
3L 460	46"	6.64
3L 470	47"	6.76
3L 480	48"	6.84
3L 490	49"	6.92
3L 500	50"	7.00
3L 510	51"	7.08
3L 520	52"	7.16
3L 530	53"	7.24
3L 540	54"	7.32
3L 550	55"	7.40

Belt Number	Outside Length	List Price
3L 560	56"	\$ 7.48
3L 565	56.5"	7.56
3L 570	57"	7.56
3L 580	58"	7.72
3L 590	59"	7.72
3L 595	59.5"	7.80
3L 600	60"	7.80
3L 610	61"	7.92
3L 620	62"	8.00
3L 630	63"	8.08
3L 640	64"	8.16
3L 650	65"	8.32
3L 660	66"	8.40
3L 670	67"	8.52
3L 680	68"	8.60
3L 690	69"	8.60
3L 700	70"	8.80
3L 710	71"	8.92
3L 720	72"	9.00
3L 730	73"	9.08
3L 740	74"	9.20



*MULTI-PLUS V-BELTS


"A" SECTION 1/2" Top x 11/32" Thick x 40° Angle

A 19	(4L 160)	16"	\$4.96
A 20	(4L 170)	17"	4.96
A 21	(4L 180)	18"	4.96
A 22	(4L 190)	19"	4.96
A 23	(4L 200)	20"	4.96
A 24	(4L 210)	21"	5.00
A 25	(4L 220)	22"	5.00
A 26	(4L 230)	23"	5.08
A 27	(4L 240)	24"	5.08
A 28	(4L 250)	25"	5.12
A 29	(4L 260)	26"	5.16
A 30	(4L 270)	27"	5.20
A 31	(4L 280)	28"	5.20
A 32	(4L 285)	28.5"	5.24
A 33	(4L 290)	29"	5.28
A 34	(4L 295)	29.5"	5.32
A 35	(4L 300)	30"	5.40
A 36	(4L 310)	31"	5.48
A 37	(4L 315)	31.5"	5.52
A 38	(4L 320)	32"	5.60
A 39	(4L 330)	33"	5.60
A 40	(4L 340)	34"	5.68
A 41	(4L 350)	35"	5.80
A 42	(4L 360)	36"	5.88
A 43	(4L 370)	37"	6.00
A 44	(4L 380)	38"	6.00
A 45	(4L 390)	39"	6.00
A 46	(4L 400)	40"	6.40
A 47	(4L 405)	40.5"	6.48
A 48	(4L 410)	41"	6.64
A 49	(4L 420)	42"	6.68
A 50	(4L 430)	43"	6.72
A 51	(4L 440)	44"	6.80
A 52	(4L 450)	45"	7.00

A 44	(4L 460)	46"	\$7.04
A 45	(4L 470)	47"	7.12
A 46	(4L 475)	47.5"	7.20
A 47	(4L 480)	48"	7.20
A 48	(4L 490)	49"	7.32
A 49	(4L 500)	50"	7.40
A 50	(4L 510)	51"	7.48
A 51	(4L 520)	52"	7.52
A 52	(4L 530)	53"	7.60
A 53	(4L 540)	54"	7.64
A 54	(4L 550)	55"	7.80
A 55	(4L 555)	55.5"	7.88
A 56	(4L 560)	56"	8.00
A 57	(4L 570)	57"	8.00
A 58	(4L 580)	58"	8.20
A 59	(4L 590)	59"	8.24
A 60	(4L 600)	60"	8.28
A 61	(4L 610)	61"	8.32
A 62	(4L 620)	62"	8.40
A 63	(4L 630)	63"	8.52
A 64	(4L 640)	64"	8.60
A 65	(4L 650)	65"	8.80
A 66	(4L 660)	66"	8.92
A 67	(4L 670)	67"	9.00
A 68	(4L 680)	68"	9.00
A 69	(4L 690)	69"	9.12
A 70	(4L 700)	70"	9.20
A 71	(4L 710)	71"	9.60
A 72	(4L 720)	72"	9.60
A 73	(4L 730)	73"	9.64
A 74	(4L 740)	74"	9.72
A 75	(4L 750)	75"	9.80
A 76	(4L 760)	76"	9.88
A 77	(4L 770)	77"	10.00

A 76	(4L 780)	78"	\$10.16
A 77	(4L 790)	79"	10.24
A 78	(4L 800)	80"	10.40
A 79	(4L 810)	81"	10.64
A 80	(4L 820)	82"	10.80
A 81	(4L 830)	83"	11.00
A 82	(4L 840)	84"	11.12
A 83	(4L 850)	85"	11.28
A 84	(4L 860)	86"	11.40
A 85	(4L 870)	87"	11.60
A 86	(4L 880)	88"	11.76
A 87	(4L 890)	89"	11.92
A 88	(4L 900)	90"	12.08
A 89	(4L 910)	91"	12.24
A 90	(4L 920)	92"	12.40
A 91	(4L 930)	93"	12.56
A 92	(4L 940)	94"	12.68
A 93	(4L 950)	95"	12.80
A 94	(4L 960)	96"	12.96
A 95	(4L 970)	97"	13.08
A 96	(4L 980)	98"	13.20
A 97	(4L 990)	99"	13.36
A 98	(4L 1000)	100"	13.52
A 99		101"	13.62
A 100		103"	13.76
A 105		107"	14.40
A 110		112"	15.60
A 112		114"	16.00
A 116		118"	16.64
A 120		122"	17.20
A 124		126"	17.80
A 128		130"	18.40
A 136		138"	19.44
A 144		146"	20.56
A 158		160"	22.60

*UniMatch series belts ensure all belts are same size and type will measure within RMA matching limits. Combination branded i.e. A40 (4L420), B78 (5L810).



***MULTI-PLUS V-BELTS**
"B" SECTION 21/32" Top x 7/16" Thick x 40° Angle

Belt Number	Outside Length	List Price
B 22 (5L 250)	25"	\$ 6.80
B 23 (5L 260)	26"	7.00
B 24 (5L 270)	27"	7.20
B 25 (5L 280)	28"	7.40
B 26 (5L 290)	29"	7.52
B 27 (5L 300)	30"	7.56
B 28 (5L 310)	31"	7.60
B 29 (5L 320)	32"	7.68
B 30 (5L 330)	33"	7.72
B 31 (5L 340)	34"	7.80
B 32 (5L 350)	35"	7.84
B 33 (5L 360)	36"	7.96
B 34 (5L 370)	37"	7.96
B 35 (5L 380)	38"	8.00
B 36 (5L 390)	39"	8.20
B 37 (5L 400)	40"	8.60
B 38 (5L 410)	41"	8.80
B 39 (5L 420)	42"	9.08
B 40 (5L 430)	43"	9.16
B 41 (5L 440)	44"	9.20
B 42 (5L 450)	45"	9.60
B 43 (5L 460)	46"	9.72
B 44 (5L 470)	47"	9.72
B 45 (5L 480)	48"	10.00
B 46 (5L 490)	49"	10.40
B 47 (5L 500)	50"	10.46
B 48 (5L 510)	51"	10.80
B 49 (5L 520)	52"	10.88
B 50 (5L 530)	53"	11.00
B 51 (5L 540)	54"	11.20
B 52 (5L 550)	55"	11.24
B 53 (5L 560)	56"	11.40
B 54 (5L 570)	57"	11.52
B 55 (5L 580)	58"	11.60
B 56 (5L 590)	59"	11.68
B 57 (5L 600)	60"	11.72
B 58 (5L 610)	61"	11.76
B 59 (5L 620)	62"	11.96
B 60 (5L 630)	63"	12.00
B 61 (5L 640)	64"	12.20
B 62 (5L 650)	65"	12.40
B 63 (5L 660)	66"	12.48

Belt Number	Outside Length	List Price
B 64 (5L 670)	67"	\$12.56
B 65 (5L 680)	68"	12.64
B 66 (5L 690)	69"	12.96
B 67 (5L 700)	70"	13.08
B 68 (5L 710)	71"	13.20
B 69 (5L 720)	72"	13.76
B 70 (5L 730)	73"	14.00
B 71 (5L 740)	74"	14.08
B 72 (5L 750)	75"	14.72
B 73 (5L 760)	76"	14.28
B 74 (5L 770)	77"	14.36
B 75 (5L 780)	78"	14.40
B 76 (5L 790)	79"	14.72
B 77 (5L 800)	80"	14.96
B 78 (5L 810)	81"	15.00
B 79 (5L 820)	82"	15.24
B 80 (5L 830)	83"	15.48
B 81 (5L 840)	84"	15.60
B 82 (5L 850)	85"	15.80
B 83 (5L 860)	86"	16.12
B 84 (5L 870)	87"	16.20
B 85 (5L 880)	88"	16.40
B 86 (5L 890)	89"	16.56
B 87 (5L 900)	90"	16.72
B 88 (5L 910)	91"	16.88
B 89 (5L 920)	92"	17.04
B 90 (5L 930)	93"	17.20
B 91 (5L 940)	94"	17.36
B 92 (5L 950)	95"	17.52
B 93 (5L 960)	96"	17.68
B 94 (5L 970)	97"	17.88
B 95 (5L 980)	98"	18.04
B 96 (5L 990)	99"	18.20
B 97 (5L 1000)	100"	18.80
B 98 (5L 1010)	110"	18.92
B 99 (5L 1020)	102"	19.16
B 100	103"	19.16
B 101	104"	19.28
B 102	105"	19.40
B 103	106"	19.48
B 104	107"	19.60
B 105	108"	20.00

Belt Number	Outside Length	List Price
B 106	109"	\$20.40
B 107	110"	20.60
B 108	111"	20.68
B 110	113"	21.16
B 111	114"	21.36
B 112	115"	21.60
B 114	117"	22.00
B 115	118"	22.08
B 116	119"	22.20
B 118	121"	22.52
B 120	123"	22.80
B 124	127"	23.60
B 126	129"	24.00
B 127	130"	24.20
B 128	131"	24.40
B 130	133"	24.64
B 132	135"	24.88
B 133	136"	25.00
B 134	137"	25.08
B 135	138"	25.20
B 136	139"	25.60
B 140	143"	26.60
B 144	147"	27.60
B 152	155"	29.00
B 158	161"	30.00
B 162	165"	30.80
B 173	176"	32.80
B 180	183"	34.40
B 195	198"	37.20
B 210	213"	40.00
B 225	228"	42.60
B 240	243"	45.20
B 255	258"	48.80
B 270	273"	51.20
B 285	288"	53.20
B 300	330"	56.80
B 315	318"	59.60
B 330	333"	62.40
B 360	363"	80.00



"C" SECTION 7/8" Top 17/32" Thick x 40° Angle

C 51	55"	\$18.40
C 55	59"	20.20
C 60	64"	21.60
C 66	70"	23.86
C 68	72"	24.40
C 72	76"	25.62
C 75	79"	26.80
C 78	82"	28.00
C 81	85"	29.20
C 85	89"	30.00
C 86	90"	30.60
C 90	94"	32.40
C 96	100"	34.40
C 100	104"	35.20
C 103	107"	37.60

C 105	109"	\$37.60
C 109	113"	38.40
C 112	116"	40.00
C 115	119"	41.04
C 118	122"	41.12
C 120	124"	42.80
C 124	128"	44.20
C 128	132"	45.60
C 136	140"	48.40
C 143	147"	50.42
C 144	148"	51.20
C 150	154"	53.20
C 158	162"	56.00
C 162	166"	57.20
C 173	177"	61.20

C 180	184"	\$ 64.00
C 195	199"	69.20
C 210	214"	74.80
C 225	229"	79.40
C 240	244"	84.00
C 255	259"	90.40
C 270	274"	94.80
C 285	289"	99.60
C 300	304"	105.20
C 315	319"	111.00
C 330	334"	115.60
C 345	349"	121.40
C 360	364"	126.00
C 390	394"	136.80
C 420	424"	147.20



MOLDED COGGED V-BELTS
"AX" SECTION 1/2" Top x 5/16" Thick x 40° Angle

AX 26	28"	\$ 10.40
AX 31	33"	11.20
AX 33	35"	11.60
AX 34	36"	11.84
AX 35	37"	12.00
AX 36	38"	12.24

AX 37	39"	\$ 12.56
AX 38	40"	12.80
AX 42	44"	13.76
AX 43	45"	14.00
AX 46	48"	14.40
AX 48	50"	14.72

AX 51	53"	\$ 15.20
AX 53	55"	15.52
AX 54	56"	15.76
AX 55	57"	15.92
AX 56	58"	16.08
AX 60	62"	16.80



MOLDED COGGED V-BELTS

"BX" SECTION 21/32" Top x 13/32" Thick x 40° Angle


Belt Number	Outside Length	List Price
BX 35	38"	\$16.00
BX 36	39"	16.48
BX 38	41"	17.60
BX 42	45"	19.20
BX 43	46"	19.60
BX 46	49"	20.80
BX 48	51"	21.44
BX 50	53"	22.08
BX 51	54"	22.40
BX 52	55"	22.64
BX 53	56"	22.80
BX 54	57"	23.04
BX 55	58"	23.20
BX 56	59"	23.36
BX 58	61"	23.68
BX 59	62"	23.84
BX 60	63"	24.00
BX 61	64"	24.32
BX 62	65"	24.64
BX 63	66"	24.96
BX 64	67"	25.28
BX 65	68"	25.60

Belt Number	Outside Length	List Price
BX 66	69"	\$25.92
BX 67	70"	26.16
BX 68	71"	26.40
BX 70	73"	27.12
BX 71	74"	27.44
BX 75	78"	28.80
BX 77	80"	29.60
BX 78	81"	30.00
BX 79	82"	30.40
BX 80	83"	30.80
BX 81	84"	31.20
BX 82	85"	32.00
BX 83	86"	32.24
BX 85	88"	32.80
BX 90	93"	34.40
BX 93	96"	36.00
BX 95	98"	36.80
BX 96	99"	37.20
BX 97	100"	37.60
BX 99	102"	38.16
BX 100	103"	38.40
BX 103	106"	39.20

Belt Number	Outside Length	List Price
BX 105	108"	\$ 40.00
BX 108	111"	41.52
BX 112	115"	43.20
BX 116	119"	44.40
BX 120	123"	45.60
BX 124	127"	47.20
BX 128	131"	48.80
BX 133	135"	51.20
BX 136	139"	52.16
BX 144	147"	55.20
BX 150	153"	57.28
BX 158	161"	60.00
BX 162	163"	62.40
BX 173	176"	65.60
BX 180	183"	68.80
BX 195	198"	74.40
BX 210	213"	80.00
BX 225	226.5"	84.96
BX 240	241.5"	90.40
BX 255	256.5"	96.40
BX 270	271.5"	102.40
BX 300	301.5"	113.60

WEDGE COGGED V-BELTS


"3VX" SECTION 3/8" Top x 5/15" Thick x 40° Angle



Belt Number	Outside Length	List Price
3VX 250	25"	\$ 7.80
3VX 265	26.5"	8.00
3VX 280	28"	8.20
3VX 290	29"	8.40
3VX 300	30"	8.40
3VX 315	31.5"	8.80
3VX 335	33.5"	9.00
3VX 355	35.5"	9.40
3VX 375	37.5"	9.60
3VX 390	39"	10.20
3VX 400	40"	10.20
3VX 425	42.5"	10.60
3VX 450	45"	11.00
3VX 475	47.5"	11.40
3VX 500	50"	11.60
3VX 530	53"	12.00
3VX 560	56"	12.40

Belt Number	Outside Length	List Price
3VX 600	60"	\$13.00
3VX 630	63"	13.40
3VX 670	67"	14.00
3VX 710	71"	14.80
3VX 750	75"	15.60
3VX 800	80"	16.60
3VX 850	85"	17.80
3VX 900	90"	19.20
3VX 950	95"	20.20
3VX 1000	100"	21.40
3VX 1060	106"	22.60
3VX 1120	112"	24.60
3VX 1180	118"	26.20
3VX 1250	125"	28.00
3VX 1320	132"	29.60
3VX 1400	140"	31.40

"5VX" SECTION 5/8" Top x 17/32" Thick x 40° Angle



Belt Number	Outside Length	List Price
5VX 500	50"	\$24.60
5VX 530	53"	25.60
5VX 560	56"	26.80
5VX 600	60"	29.00
5VX 630	63"	30.40
5VX 670	67"	32.40
5VX 710	71"	34.40
5VX 750	75"	36.40
5VX 800	80"	38.80
5VX 825	82.5"	40.98
5VX 850	85"	41.80
5VX 900	90"	43.40
5VX 950	95"	46.60
5VX 1000	100"	49.20

Belt Number	Outside Length	List Price
5VX 1060	106"	\$52.20
5VX 1080	108"	55.20
5VX 1120	112"	55.20
5VX 1180	118"	58.20
5VX 1250	125"	61.80
5VX 1320	132"	65.20
5VX 1400	140"	68.80
5VX 1500	150"	74.00
5VX 1600	160"	79.00
5VX 1700	170"	84.00
5VX 1800	180"	89.20
5VX 1900	190"	94.40
5VX 2000	200"	99.60

4230 ALL SEASON Reinforced Hose



Green Transparent

- Sturdy 3-ply construction for high-burst pressure.
- All-weather rubber/vinyl for lasting durability and flexibility.
- Spiral reinforcement provides excellent kink resistance.
- Solid brass couplings.

4232 COMMERCIAL Heavy-Duty Hose



Green (Yellow Stripe)

- Professional grade (TPR) rubber/vinyl for maximum flexibility, hot water use, highly abrasion resistant.
- Tough 4-ply heavy duty construction, kink resistant for easy coiling.
- Crush-resistant, machined brass couplings.



W5020A Pistol Grip Hose Nozzle

- Heavy duty zinc body.
- Solid brass mechanism.
- Molded urethane, non-marking exterior.
- Smooth action lever.

ID	LENGTH	PSI	LBS	PART NUMBER	LIST EACH
5/8	50'	400 Burst	6	4230-063150	\$21.52
5/8	75'	400 Burst	8	4230-063175	32.84
5/8	50'	500 Burst	8	4232-063150	43.06
Pistol Grip Hose Nozzle			1	W5020A	6.96


V-BELT ACCESSORIES



V-BELT DISPLAY

Display up to 184 belts at once. 46 hooks hold up to 4 belts each. Display height is 30", width 42", 25" deep. Includes header sign and bracket accessories for easy set up.

Part No. WFD-42.....Net \$128.00 ea.



110" BELT MEASURER

Measures all size Industrial belts up to 110" in ranges of 3/8", 1/2" and 5/8" accurately and efficiently.

Part No. 32-9108.....Net \$20.94 ea.



V-BELT WALL RACK

36" long mounting rack with eight 8" hooks provided. Includes two brackets for quick, easy, durable mounting.

Part No. WHD-7.....Net \$6.30 ea.



ACCU-LINK[®]

ADJUSTABLE V-BELTS

Solve HVAC V-Belt Drive Problems Quickly, Accurately & Permanently!

- The ideal temporary replacement or permanent substitute for conventional rubber V-Belts.
- Easy snap and twist assembly. No special tools!
- Ideal for emergency repairs and replacements. Fits any drive and available in most popular sizes!
- You will never be without a belt in any circumstance.

Size	Part No.	Length	Pkg.	List Price
A(4L)	A-PAK-4	4'	Display Pack	\$ 68.26
	A-Link-5	5'	Sleeve	14.80 (ft)
	A-Link-25	25'	Carton	14.80
	A-Link-100	100'	Carton	14.80
B(5L)	B-PAK-4	4'	Display Pack	\$ 82.02
	B-Link-6	6'	Sleeve	17.24 (ft)
	B-Link-25	25'	Carton	17.24
	B-Link-100	100'	Carton	17.24