



JASON
INDUSTRIAL
LAWN & GARDEN
REPLACEMENT
BELTS



JASON INDUSTRIAL INC. **BELTS & HOSE**

CONTENTS

PAGE

Lawn & Garden (MXV series)	1-2
OEM, Replacement Belt Listing	3-7
Manufacturer's/Replacement Part Numbers	8-10
FHP, Multi-Plus V-Belts	11
Belt Constructions	12-13

APPLICATIONS INDEX

Manufacturer	Page	Manufacturer	Page
AYP/SEARS/ROPER.....	3	MTD	5
ARIENS.....	3	MURRAY	6
BOBCAT/RANSOMES.....	3	NOMA/AMF	6
BOLENS.....	3	PARTNER	6
BUNTON.....	3	POWER TRIM.....	6
CUB CADET.....	3	ROTO HOE.....	9
DITCH WITCH.....	4	SCAG.....	7
DIXIE CHOPPER	4	SIMPLICITY	7
ENCORE	4	SNAPPER	7
EXMARK	4	SUNBEAM.....	10
GRAVELY.....	4	SWISHER.....	7
HOMELITE/JACOBSEN.....	4	TORO/WHEELHORSE	7
JOHN DEERE.....	4	YAZOO.....	7
LAWN BOY	4		

Any reference to Original Equipment Manufacturers, their trade names or stock numbers in this catalog is for identification purpose only.

The replacement recommendations contained in this catalog are not, in all cases, intended to be identical to the belt specifications of the original equipment manufacturer. Reasonable performance and availability are the major considerations in arriving at these selections. Where clutching drives are involved, extreme caution must be exercised to assure correct belt recommendations are used.

WARNING

Aramid Cable Cord — Since MXV belts feature high strength aramid tensile cords, shocks can be transmitted that exceed the strength of some cast pulleys. Carefully check the condition of your equipment, keep all guards in place, and consult the manufacturer if replacing standard belts with high strength aramid cord belts on cast pulleys.



MXV™ BELTS

For Lawn and Garden Power Equipment

Aramid Cable Cord Construction - Built for Strength and Endurance

The new Jason MXV Premium V-belt is designed to provide optimum performance on demanding outdoor power equipment in use today, as well as all other light-duty FHP drives.

Higher Tensile Strength De-Clutching Cover Longer Drive Life
 Superior Length Stability Greater Heat/Oil Resistance

APPLICATIONS: Power Mowers • Riding Mowers/Garden Tractors • Tillers • Snow Throwers

MXV3 3/8" Top Width x 7/32" Thick x 40° Angle											
Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each
MXV3-200	20"	\$ 9.44	MXV3-280	28"	\$ 9.92	MXV3-350	35"	\$ 11.04	MXV3-420	42"	\$ 12.56
MXV3-210	21"	9.44	MXV3-290	29"	10.56	MXV3-360	36"	11.20	MXV3-430	43"	12.72
MXV3-220	22"	9.44	MXV3-300	30"	10.24	MXV3-370	37"	11.44	MXV3-440	44"	12.88
MXV3-240	24"	9.44	MXV3-310	31"	10.32	MXV3-380	38"	11.74	MXV3-450	45"	13.12
MXV3-250	25"	9.92	MXV3-320	32"	10.48	MXV3-390	39"	11.92	MXV3-460	46"	13.28
MXV3-260	26"	9.92	MXV3-330	33"	10.64	MXV3-400	40"	12.16	MXV3-470	47"	13.52
MXV3-270	27"	9.92	MXV3-340	34"	10.80	MXV3-410	41"	12.40	MXV3-480	48"	13.68
MXV4 1/2" Top Width x 5/16" Thick x 40° Angle											
Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each
MXV4-200	20"	\$ 9.92	MXV4-400	40"	\$ 12.80	MXV4-640	64"	\$ 17.20	MXV4-880	88"	\$ 23.52
MXV4-210	21"	9.92	MXV4-410	41"	13.04	MXV4-650	65"	17.44	MXV4-890	89"	23.84
MXV4-220	22"	9.92	MXV4-420	42"	13.20	MXV4-660	66"	17.60	MXV4-900	90"	24.16
MXV4-230	23"	9.92	MXV4-430	43"	13.44	MXV4-670	67"	17.76	MXV4-910	91"	24.48
MXV4-240	24"	9.92	MXV4-440	44"	13.76	MXV4-680	68"	18.00	MXV4-920	92"	24.80
MXV4-250	25"	9.92	MXV4-450	45"	14.00	MXV4-690	69"	18.24	MXV4-930	93"	25.12
MXV4-260	26"	10.08	MXV4-460	46"	14.16	MXV4-700	70"	18.40	MXV4-940	94"	25.36
MXV4-270	27"	10.24	MXV4-470	47"	14.32	MXV4-710	71"	18.80	MXV4-945	94.5"	25.48
MXV4-280	28"	10.40	MXV4-480	48"	14.40	MXV4-720	72"	19.20	MXV4-950	95"	25.60
MXV4-290	29"	10.56	MXV4-490	49"	14.56	MXV4-730	73"	19.36	MXV4-960	96"	25.92
MXV4-295	29.5"	10.72	MXV4-500	50"	14.72	MXV4-740	74"	19.44	MXV4-970	97"	26.16
MXV4-300	30"	10.72	MXV4-510	51"	14.88	MXV4-750	75"	19.60	MXV4-980	98"	26.40
MXV4-305	30.5"	10.88	MXV4-520	52"	15.04	MXV4-760	76"	19.76	MXV4-990	99"	26.72
MXV4-310	31"	10.88	MXV4-530	53"	15.20	MXV4-770	77"	20.00	MXV4-1000	100"	26.96
MXV4-320	32"	11.04	MXV4-540	54"	15.36	MXV4-780	78"	20.32	MXV4-1020	102"	27.54
MXV4-325	32.5"	11.12	MXV4-550	55"	15.52	MXV4-790	79"	20.64	MXV4-1030	103"	27.70
MXV4-330	33"	11.20	MXV4-560	56"	15.76	MXV4-800	80"	20.96	MXV4-1050	105"	28.20
MXV4-340	34"	11.44	MXV4-570	57"	15.92	MXV4-810	81"	21.28	MXV4-1070	107"	28.89
MXV4-350	35"	11.44	MXV4-580	58"	16.08	MXV4-820	82"	21.60	MXV4-1080	108"	29.16
MXV4-355	35.5"	12.80	MXV4-590	59"	16.28	MXV4-830	83"	21.92	MXV4-1180	118"	31.86
MXV4-360	36"	11.84	MXV4-600	60"	16.48	MXV4-840	84"	22.24	MXV4-1380	138"	37.26
MXV4-370	37"	12.00	MXV4-610	61"	16.64	MXV4-850	85"	22.56			
MXV4-380	38"	12.24	MXV4-620	62"	16.80	MXV4-860	86"	22.88			
MXV4-390	39"	12.56	MXV4-630	63"	17.04	MXV4-870	87"	23.20			
MXV5 2 1/32" Top Width x 3/8" Thick x 40° Angle											
Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each
MXV5-230	23"	\$ 12.16	MXV5-280	28"	\$ 13.04	MXV5-330	33"	\$ 14.56	MXV5-380	38"	\$ 16.00
MXV5-240	24"	12.16	MXV5-290	29"	13.36	MXV5-340	34"	14.88	MXV5-390	39"	16.48
MXV5-250	25"	12.16	MXV5-300	30"	13.60	MXV5-350	35"	15.12	MXV5-400	40"	17.12
MXV5-260	26"	12.48	MXV5-310	31"	13.92	MXV5-360	36"	15.44	MXV5-410	41"	17.60
MXV5-270	27"	12.80	MXV5-320	32"	14.24	MXV5-370	37"	15.68	MXV5-420	42"	18.00

High Performance (MXV) Lawn & Garden Equipment V-Belts

MXV5 2¹/₃₂" Top Width x 3³/₈" Thick x 40° Angle

Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each	Belt No.	Outside Length	List Each
MXV5-430	43"	\$18.40	MXV5-590	59"	\$23.36	MXV5-750	75"	\$27.76	MXV5-920	92"	\$34.08
MXV5-440	44"	18.80	MXV5-600	60"	23.52	MXV5-760	76"	28.08	MXV5-930	93"	34.40
MXV5-450	45"	19.20	MXV5-610	61"	23.92	MXV5-770	77"	28.48	MXV5-940	94"	34.88
MXV5-460	46"	19.60	MXV5-620	62"	23.84	MXV5-780	78"	28.80	MXV5-950	95"	35.44
MXV5-470	47"	20.00	MXV5-630	63"	24.00	MXV5-790	79"	29.20	MXV5-960	96"	36.00
MXV5-480	48"	20.40	MXV5-640	64"	24.32	MXV5-800	80"	29.60	MXV5-970	97"	36.40
MXV5-490	49"	20.80	MXV5-650	65"	24.64	MXV5-810	81"	30.00	MXV5-980	98"	36.80
MXV5-500	50"	21.12	MXV5-660	66"	24.96	MXV5-820	82"	30.40	MXV5-990	99"	37.20
MXV5-510	51"	21.44	MXV5-670	67"	25.28	MXV5-830	83"	30.80	MXV5-870	87"	32.56
MXV5-520	52"	21.76	MXV5-680	68"	25.60	MXV5-840	84"	31.20	MXV5-1000	100"	37.60
MXV5-530	53"	22.08	MXV5-690	69"	25.92	MXV5-850	85"	32.00	MXV5-1010	101"	42.42
MXV5-540	54"	22.40	MXV5-700	70"	26.16	MXV5-860	86"	32.24	MXV5-1020	102"	42.84
MXV5-550	55"	22.64	MXV5-710	71"	26.40	MXV5-880	88"	32.80	MXV5-1040	104"	43.99
MXV5-560	56"	22.80	MXV5-720	72"	26.72	MXV5-890	89"	33.12	MXV5-1060	106"	44.84
MXV5-570	57"	23.04	MXV5-730	73"	27.12	MXV5-900	90"	33.44	MXV5-1090	109"	46.11
MXV5-580	58"	23.20	MXV5-740	74"	27.44	MXV5-910	91"	33.76	MXV5-1310	131"	55.41

POPULAR BRAND SIZE/PRODUCT NUMBER COMPARISON

So consumers may select high-quality **Jason MXV** replacement belts for all of their requirements, regardless of brand, this chart will help you convert other manufacturers' product numbers to those supplied by Jason Industrial.

Belt Size	Jason MXV	Dayco PT X-D-V	Gates Powerated	Goodyear Insta-Power	Dayco GPL	Thermoid Power Plus
Example: 36" O.L. 3 ³ / ₈ " Top Width	MXV3-360	38x360	6736	83360	L336	3H360
Example: 38" O.L. 1/2" Top Width	MXV4-380	48x360	6838	84380	L438	4H380
Example: 42" O.L. 5/8" Top Width	MXV5-420	58x36	6942	85420	L542	5H420

Centrifugal (PTO) Replacement Belts

for: **Ace Centrifugal Pump — Model PTOC/H600-10, 1000-10, 600-10B**

Model CPK Centrifugal Sprayer Pump

Belt Number	Description	Fits Model Number
BAC-28-8	Poly-V belt, 8 Groove	PTOC-540, 600, 600B, 600D
BAC-28-8M	Poly-V belt, 8 Groove	PTOC-1000, 1000B
BAC-28-10	Poly-V belt, 10 Groove	PTOC-600-10, 600-10B
BAC-28-10M	Poly-V belt, 10 Groove	PTOC-1000-10, 1000-10B
BAC-28-10-150	Poly-V belt, 10 Groove	PTOC RPM, 1000 RPM
BAC-28-10M-150	Poly-V belt, 10 Groove	PTOC PPMB, 1000 RPMB
CPK-28-2	Polyflex, set 2 ea.	CPK Sprayer Pump, 3450 RPM
FMK-28-2M	Neoflex, set 2 ea.	1000 RPM, Front PT

for: **Hypro (belt drive) Centrifugal Pump — Model 9401C (600 RPM PTO)**

Model 9401C-1000 (1000 RPM PTO)

ST686	Timing Belt 27.0 x 1.0	9401C-B2, B3, B5, 1000 RPM
540J12	Poly-V Belt, 12 Groove	9403-540S
3100-0005	Poly V-Belt, 12 Groove	540 RPM
3100-0006	Poly V-Belt, 12 Groove	1000 RPM
3103-0004	Polyflex, set 2 ea.	9200-540 RPM
3103-0005	Polyflex, set 2 ea.	9200-1000 RPM
3103-0009 (ST876)	Timing Belt, 345L100	9401-6000 RPM

POPULAR O.E.M. REPLACEMENT BELTS

Special size belts specifically manufactured
to fit and perform to O.E.M. application.

Replacement For	O.E.M. Jason No.	Model	Application
AYP SEARS/ROPER			
	106729	917-252931, 930, 262683, 252674	38", 10 & 11Hp Front Engine
	131290X	7122A29	38" Rider, Front Engine
	131264	WP1036A, WP1136B Riders	10, 11Hp, 36" Cut
	140067	L1252AR Rider	8Hp, 36" Cut
ARIENS			
	72023	Models 1969-78	Engine to Drive Shaft
	72047	Older Models w/ Single Belt	Snowblower
	72074	Sno-Tro 6 Hp, Dual Belt	Engine to Drive Shaft, Traction
	72078	829001 36"	Rotary (attch) to Deck Blade
	72108	924084, 086, 10 Hp	Snowblower
	72114	832004	Snowblower Trac Team
	72131	924085, 87, 91, 92	Snowblower 12Hp
	72130	924085, 87, 91, 92	Snowblower 10Hp
	72086	924082	Snowblower 8Hp
BOBCAT RANSOMES			
	38017N	3605, 06, 11, 4805, SM-XM4806	Wheel Traction Drive
	38212		Traction Wheel Drive (Dual Rib)
	38249	M36, M48, M32	Traction Wheel Drive (Dual Rib)
	38185		
	38523		Traction Wheel Drive (Dual Rib)
	328528		Traction Wheel Drive (Dual Rib)
	48019A	J-16-61, T-18B, T-20N	Tractor (PTO) Drive (Dual Rib)
	48376		
BOLENS			
	1737898		Snowblower, Auger
	1737899		Snowblower, Auger
	1744706	Eliminator, Self-Propelled	
BUNTON			
	PL0619	B28, 32, 36, 48, 52	Traction Wheel Drive (Dual Rib)
	PL0643	B28, 32, 36, 48, 52	Blade to Blade
	PL0848	B36-11BIC, B52T-11H	Engine to Gear Box AA
	PL1443		48" Blade Drive
	PL4275	36", 48" & 52" Mid Size	Traction Wheel Drive (Dual Rib)
CUB CADET			
	367230R1		Tractor, Gen. Drive
	473462R4		Rotary, Deck to Blade
	490489R2	70, 86, 123 & 169	Deck Drive, 38", 42" & 48"

POPULAR O.E.M. REPLACEMENT BELTS

Special size belts specifically manufactured to fit and perform to O.E.M. application.

Replacement For	O.E.M. Jason No.	Model	Application
DITCH WITCH			
	170-095	Trencher	
	41-292	Trencher	
DIXIE CHOPPER			
	20256	5018K	Transaxle
	30202	5018K	Deck Drive
	30203	5018K, X, 5020, 5025	60 Blade Drive
	30236		Blade Drive
	30239		Deck Drive
ENCORE			
	363211	Walk Behinds	32", 48" Wheel Drive
EXMARK			
	323051	1000 Series & Higher	5-Speed Wheel Drive, 32" Cut
	543521		60" Deck Drive
	603045	Tracer	60" Blade Drive
	603576		52" Deck Drive
GRAVELY			
	9240	Dual Blade	40" Cut, Walk-behind
	11-216	51213, 11216, 72266	50" Cut, Deck Drive
	51213	51213, 11216, 72266	50" Cut, Blade
	14673		46" Deck Drive
	41599	Pro 36	40", 50" Wheel Drive
	43213	Pro Master 100, 200, Pro 200, 300	36", 38", 40" & 50" Cut
HOMELITE			
JACOBSON			
	390164		Rotary Blade Drive
	392456		Snowblower
	64498	XL88, XL98A	Snowblower
	990812		Snowblower
JOHN DEERE			
	PT8697	All Models	AA Trans
	PT12668		32", 36" Engine Blade
LAWNBOY			
	605837	8229C	Rotary, Traction Drive
	608574	8229H	Rotary, Traction Drive
	605874		
	700370		Snowblower
	705455		Snowblower

POPULAR O.E.M. REPLACEMENT BELTS

Replacement For	O.E.M. Jason No.	Model	Application
MTD	754-0131	310-700, 310-800	Snowblower
	754-0155	211-365, 211-370	Tiller, Models Rev.
	754-0197	195-992, 195-993	Blade Drive
	754-0205	313-230A	Snowblower
	754-0246	142-824-836, 143-836, 144-836	Deck
	754-0260	195-931 Rotary Attch.	44" Blade Drive
	754-0270	138-572 to 138-698	20" Blade Drive
	754-0280	130-650 to 130-659	Engine to V/S Drive
	754-0281	134-620, 134-631	Trans. to V/S Drive
	754-0283	195-746	Tractor Deck Drive 95"
	754-0291	191-930	Deck Drive, 50" Deck
	754-0293	138-722 to 138-758	44" Side Discharge, 935
	754-0329	600, 805	38" Engine to Deck
	754-0343	E610E, 611D, E611D 612E & 613E	Engine to Transmission
	754-0346	314-640F-642F- 646F-660G-666G	Self-Propell, 462R, 479R
	754-0349	130-800 to 130-809	46" Blade Drive
	754-0350	130-800 to 130-809	46" Deck to Engine
	754-0355	138-320 to 138-357	32" "D" Blade Drive
	754-0358	140-180, 800	V/S to Trans, 46" Deck
	754-0362	820-849 2-Speed	V/S to Trans, 46" Deck
	754-0367	140-181 Single Stage	Snowblower, Auger
	754-0370	600-689, 750-769	V/S to Transmission
	754-0371	131-6506000, 600	42" Engine to Deck
	754-0374	222A, AIRCAP 10015	Electric, Twinshaft
	754-0430	623-753 Two Stage	Snowblower, Auger
	754-0431	E610E, 611D, E611D, 612E	Snowblower, Auger
	754-0432	In Development	
	754-0433	600, 805	38" Side Discharge
	754-0434	430, 440 & 450	Engine to Transmission
	754-0438	410 & 420	Tiller, Trans to Engine
	754-0439	600, 1999 & after	46" Deck to Engine
	754-0440	600 Rider	46" Deep Deck
	754-0441	600 Hydrostatic	Trans. to Engine
	754-0443	Export Only	Deck Drive
	754-0444		V/S to Trans, Tractor Deck
	754-0446	In Development	Vari Speed to Trans
	754-0453	Yard Bug	27.5" Deck V/S to Trans
	754-0460	959C, 979C, E979E, 999C	Trans. Pulley to Engine
	754-0461	800 Series Hydrostatic 1997+	Trans. Pulley to Engine
	754-0465	400, 500 Series	Engine to Transmission
	754-0466	260, 268, 588 & 589	Rear Tine Tiller
	754-0467	Auto Drive Step Tractor	Vari Speed to Engine
	754-0468	Auto Drive Step Tractor	42", 46" Deck V.S. to Trans.
	754-0472	Auto Drive Step Tractor	42" Deck to Lower Engine
	754-0474	Auto Drive Step Tractor	46" Deck to Lower Engine
	754-0475	Auto Drive Step Tractor	50" Deck to Lower Engine
	754-0476	Auto Drive Step Tractor	46" Deck to Lower Engine
	754-0483	260, 279, 520 & 530	Engine to Transmission
	754-0486	Auto Drive Step Tractor	46" Deck to Lower Engine
	754-0487	Auto Drive Step Tractor	46" Deck to Lower Engine
	754-0488	Auto Drive Step Tractor	50" Deck to Lower Engine
	754-0497	Revolution, Step Thru Frame	42" Deck Pulley to Lower Engine
754-0498	Revolution, Step Thru, Zero Turn	Deck Pulley Belt	
754-0625	200, 250 String Trimmer	Trans. Pulley to Engine	

POPULAR O.E.M. REPLACEMENT BELTS

Special size belts specifically manufactured to fit and perform to O.E.M. application.

Replacement For	O.E.M. Jason No.	Model	Application
MURRAY			
	37x39	2-6503, 2-6504	Blade Drive
	37x43	5-36506-508	Blade Drive, Uni-Frame
	37x51	6-30702X4	Tractor Blade Drive
	37x54		
	37x56	8-35500	Blade Drive
	37x62	All 406, 407 Series, 1989+	40" Engine to Blade
	37x60		
	37x64	5-5.5 hp Walk Behind	Motion Drive 21" Aerovac
	37x66	18 hp, 46300	Blade Drive, 46" Cut
	37x67		
	37x68	46300 Ultra Series	18 Hp, 46" Deck
	37x69	18 hp, 46300	Engine to Deck, 46"
	37x70	14-18 hp, 1990-94	46" Blade Drive
	37x75	12-18 hp, 1990-94	42" Blade Drive (Set 2 ea.)
	37x80	Hydro LT, 1994+	40", 42", 46", 12.5, 14, 18Hp
	37x81	Hydro LTX, 1994+	14, 16, 18Hp, 42" & 46" Deck
	37x86	In Development	38" Rider
	37x88	Hydro Tractor, All A "4", 1997+	42" Engine to Blade
	37x89	S1742, S1642	46" Primary Blade Drive
	37x90		
	314572		42" & 43" Cut, Engine to Trans.
	42111		Rear Engine to Blade
NOMA AMF DYNAMARK			
	43066	5188-4600, 5200	36" Cut, Side Discharge
	49330	5188-6600, 01-6800	36" Cut, Side Discharge
	301935	Replaces 49330, 33125	42" Cut, Side Discharge
	49878	13442	36" Cut, Rear Discharge
	57214	A4518-060, 061 Eagle Star	39" Deck Drive
	58170	A3008 8Hp, A3611 11Hp	30", 36" Deck
	300680	B3812-000, Eagle Star	38" Side Discharge, Blade
	302290		
	319596		Snowblower, Auger
	325890		Snowblower, Auger
PARTNER			
	P505033001		Cement Cutting Saws
	P505033004		Cement Cutting Saws
	P505070501		Cement Cutting Saws
	P505305217		Cement Cutting Saws
	P505305240		Cement Cutting Saws
POWER TRIM			
	339	200, 208, 300, 308	Edger, all except model 238

POPULAR O.E.M. REPLACEMENT BELTS

Replacement For	O.E.M. Jason No.	Model	Application
SCAG			
	48086	SLM Series	40" Engine, Blade Drive
	48202	SW-36, 48, 52	36", 48" & 52" Traction Wheel Drive (Dual Rib)
	48607	Riders 1991+	61" Deck Drive
	48587	Hydro Models	Pump Drive, 20" Deck
	48799	Zero Turn Rider, SSZ	48" Deck Drive
	48912	STHM w/CV20/22Hp	61" Cut, 1994+
	48996	ZTR, SSZ	61" Deck Drive
SIMPLICITY			
	108505	4000 Series	Spindle Belt, 36" cut
	1668066	5000, 6000 Series	Blade, 42"
	1703466	GTH	Blade, 48" Deck
SNAPPER			
	1-0749	2810, 2880, 3010, 3081	25", 30" Rear Engine
	1-2353	21PC, 21500C, PC, TC	5Hp Comm. Blade Drive
	1-2354	21P, 21351, 21401, 02, 02P	V21 Trans. Self-Propelled
	1-2508	21P, 21351, 21401, 02, 02P	V21, 3.5/4.0Hp Engine
	1-1887	21350, E, P, PD, PS, S, 21400, P	Engine to Blade
	1-4525	LT, YT1648, HYT48	41" Rear Rider, 48" Deck
	1-8236	Rear Engine Riders	25" - 33" Deck
	1-9578		Snowblower, Auger
	24891		Traction Wheel Drive (Dual Rib)
SWISHER			
	BA-50, 43-3119	A32 1S	Engine to Blade
	BA-50, 7-5570	A32 1S, 2S	Engine to Blade
	BA-58, 43-3368	T40	Engine to Blade
	43-9447		
	66LR2, 7-5018	T60	57" Engine to Blade (L/R)
TORO/WHEEL HORSE			
	5-4505	Whirlwind Home Pro, Fiesta Guardian	Rotary, 21" Self-Propelled
	25-6430	S200, S620	Snowblower
	26-9670	All 30000 Serial #4-600001 & Up	Engine to Trans.
	27-1160		44", 52" Deck
	37-6010		Snowblower, Rotary Drive
	51-4290	36", 48" & 52" Pro Line	Traction Wheel Drive (Dual Rib)
	53-9660	Groundmaster 72	Traction Wheel Drive (Dual Rib)
	54-2750	30112, 30127, 25, 15, 14, 16, 13, 12, 11	Engine to Trans./Blade
	55-9300	CCR2000	Snowblower, Auger
	67-1390	56128, 56132	25" Rear Engine, to Blade
	75-9010		Snowblower, Auger
	109803, 805		
	110376		
	112114		
YAZOO			
	205-514		Blade, 60" Deck
	205-505	Red Rider	30", Engine to Blade

LAWN AND GARDEN EQUIPMENT PART NUMBERS

NOTE: FHP Belt may be upgraded to the MXV Belt, however the FHP Belt SHOULD NOT be substituted for the MXV Belt

Alphabetical sequence by manufacturer

OEM #	Belt No.	OEM #	Belt No.	OEM #	Belt No.	OEM #	Belt No.	OEM #	Belt No.		
ARIENS				BOBCAT/ RANSOMES		DITCH WITCH		GILSON		LAWN BOY	
72023.....	72023	108025.....	MXV5-520	170-095.....	170-095	210754.....	MXV4-910	705361.....	MXV3-460		
72024.....	MXV4-290	108071.....	MXV5-530	170-208.....	4/3VX400	212931.....	MXV4-1030	705455.....	MXV3-320		
72026.....	MXV5-410			170-292.....	170-292	213676.....	MXV4-850	MERRY TILLER			
72029.....	MXV5-500					216594.....	MXV4-1030				
72038.....	MXV4-530					231362.....	MXV3-450				
72042.....	MXV3-330					235955.....	MXV3-390				
72043.....	MXV3-320					237738.....	MXV4-860				
72044.....	MXV5-490					245477.....	MXV4-840				
72047.....	72047					328821.....	MXV4-820				
72048.....	MXV3-280							GRAVELY			
72049.....	MXV5-470										
72050.....	MXV5-440										
72052.....	MXV5-690										
72056.....	MXV4-320										
72059.....	MXV5-430										
72065.....	MXV3-360										
72066.....	MXV3-340										
72069.....	MXV5-410										
72074.....	72074										
72078.....	72078										
72079.....	MXV5-450										
72085.....	MXV3-320										
72086.....	72086										
72087.....	MXV5-480										
72089.....	MXV4-360										
72091.....	MXV4-480										
72092.....	MXV5-440										
72093.....	MXV4-310										
72098.....	MXV3-330										
72099.....	MXV3-310										
72100.....	MXV4-360										
72101.....	MXV4-580										
72102.....	A73										
72103.....	MXV4-900										
72105.....	MXV4-370										
72106.....	MXV3-370										
72107.....	MXV3-340										
72108.....	72108										
72109.....	MXV4-320										
72112.....	MXV3-350										
72113.....	MXV4-650										
72114.....	72114										
72115.....	MXV4-670										
72118.....	MXV4-470										
72119.....	MXV4-305										
72124.....	MXV4-650										
72130.....	72130										
72131.....	72131										
72169.....	MXV4-650										
BOBCAT/ RANSOMES				BUNTON		ENCORE		HOMELITE/ JACOBSEN			
38015N.....	MXV5-870	PL0019.....	MXV4-360	363210.....	MXV5-820	328821.....	MXV4-820				
38016N.....	MXV5-360	PL0020.....	MXV4-370	363211.....	363211	328891.....	MXV4-800				
38017N.....	38017N	PL0021.....	MXV4-390	363212.....	MXV4-400	328892.....	MXV4-830				
38030.....	MXV5-930	PL0148.....	MXV4-280	483030.....	MXV5-890	331325.....	3VX400				
38031.....	MXV5-520	PL0511.....	MXV5-540	483031.....	MXV5-530	336485.....	MXV5-760				
38038.....	MXV5-960	PL0543.....	MXV4-430			336486.....	B123				
38039N.....	MXV5-820	PL0619.....	PL0619			348720.....	MXV4-720				
38075.....	B79	PL0643.....	PL0643			349079.....	A75				
38076.....	B84	PL0661.....	MXV5-580			390164.....	390164				
38077.....	MXV5-930	PL0848.....	PL0848			390188.....	MXV4-440				
38111.....	MXV5-870	PL0884.....	PL0884			392397.....	B112				
38185.....	38185	PL1443.....	PL1443			392445.....	A26				
38212.....	38212	PL4275.....	PL4275			392456.....	392456				
38234.....	MXV5-910					64498.....	64498				
38249.....	38249					990812.....	990812				
38439.....	MXV5-690					335453.....	MXV4-410				
38523.....	38523							JOHN DEERE			
39116.....	MXV5-690										
48019A.....	48019A										
48376.....	48376										
78030.....	MXV3-260										
78031.....	MXV3-360										
108024.....	MXV5-460										
				DITCH WITCH		GILSON		LAWN BOY			
				170-034.....	2/3VX300	1110.....	MXV4-350	18055.....	18055		
				170-035.....	3VX600	4051.....	MXV3-310	602956.....	MXV3-290		
				170-036.....	3VX355	4052.....	MXV4-550	602957.....	MXV3-310		
				170-037.....	3VX425	4638.....	MXV4-300	605837.....	605837		
				170-038.....	3VX450	10463.....	MXV4-370	605874.....	605874		
				170-040.....	3VX375	10755.....	MXV4-430	608574.....	608574		
				170-041.....	2/3VX355	11793.....	MXV5-900	610040.....	MXV3-440		
				170-052.....	2/BX48	12684.....	MXV5-960	612625.....	MXV3-320		
				170-059.....	2/3VX450	14790.....	MXV4-380	700370.....	700370		
				170-067.....	2/3VX670	16366.....	MXV4-370	702451.....	MXV4-1030		
				170-072.....	2/3VX400	17569.....	MXV4-430	702533.....	MXV3-460		
				170-076.....	3VX670	18055.....	MXV4-305	704868.....	MXV4-1030		

LAWN AND GARDEN EQUIPMENT PART NUMBERS

NOTE: FHP Belt may be upgraded to the MXV Belt, however the FHP Belt SHOULD NOT be substituted for the MXV Belt

Alphabetical sequence by manufacturer

OEM #	Belt No.	OEM #	Belt No.	OEM #	Belt No.	OEM #	Belt No.	OEM #	Belt No.
MTD		MTD		MURRAY		MURRAY		NOMA/AMF/ DYNAMARK	
754-0197.....	754-0197	754-0299.....	MXV4-490	22846.....	MXV3-410	37x65.....	MXV4-300	54829.....	MXV4-305
754-0198.....	MXV4-620	754-0325.....	MXV4-570	23072.....	MXV4-430	37x66.....	37x66	57214.....	57214
754-0200.....	MXV4-480	754-0327.....	MXV5-280	23098.....	MXV4-620	37x67.....	37x67	57556.....	MXV4-890
754-0201.....	MXV4-410	754-0328.....	MXV5-490	23214.....	MXV4-590	37x68.....	37x68	58170.....	58170
754-0203.....	MXV5-610	754-0329.....	754-0329	23223.....	MXV4-950	37x69.....	37x69	300142.....	MXV4-410
754-0204.....	MXV4-670	754-0339.....	MXV4-790	23347.....	MXV4-840	37x70.....	37x70	300575.....	MXV4-340
754-0205.....	754-0205	754-0340.....	MXV5-840	23496.....	MXV4-740	37x74.....	MXV4-570	300680.....	300680
754-0206.....	MXV4-500	754-0342.....	MXV4-680	23748.....	MXV4-620	37x75.....	37x75	300747.....	MXV4-690
754-0207.....	MXV4-420	754-0343.....	754-0343	23749.....	MXV4-990	37x80.....	37x80	300749.....	MXV4-470
754-0210.....	MXV5-600	754-0346.....	754-0346	23796.....	MXV4-590	37x81.....	37x81	301935.....	MXV4-1080
754-0211.....	MXV5-460	754-0347.....	MXV4-630	23853.....	MXV4-430	37x83.....	MXV4-830	302289.....	MXV5-740
754-0212.....	MXV5-470	754-0349.....	754-0349	23882.....	MXV4-590	37x86.....	37x86	302290.....	302290
754-0213.....	MXV4-530	754-0350.....	754-0350	24256.....	MXV4-880	37x88.....	37x88	302291.....	MXV5-640
754-0215.....	MXV4-1070	754-0355.....	754-0355	24304.....	MXV4-830	37x89.....	37x89	302292.....	MXV5-900
754-0216.....	MXV3-290	754-0358.....	754-0358	42111.....	42111	37x90.....	37x90	303241.....	MXV5-900
754-0217.....	MXV5-790	754-0362.....	754-0362	75121.....	MXV4-480	37x94.....	MXV4-340	303242.....	MXV4-930
754-0218.....	MXV5-590	754-0364.....	MXV5-680	75147.....	MXV3-390	37x95.....	MXV3-340	305148.....	MXV5-830
754-0219.....	MXV4-260	754-0365.....	MXV4-830	75370.....	3L260	NOMA/AMF/ DYNAMARK			
754-0220.....	MXV5-270	754-0367.....	754-0367	314572.....	314572	8597.....	MXV4-220	20368.....	MXV4-290
754-0221.....	MXV5-520	754-0369.....	MXV3-390	37x1.....	MXV4-410	20582.....	MXV4-240	23164.....	MXV4-250
754-0222.....	MXV4-440	754-0370.....	754-0370	37x2.....	MXV4-480	25807.....	MXV5-330	25883.....	MXV5-430
754-0223.....	MXV3-360	754-0371.....	754-0371	37x3.....	MXV4-460	26659.....	MXV5-720	27323.....	MXV4-410
754-0224.....	MXV5-260	754-0374.....	754-0374	37x4.....	MXV4-640	28594.....	MXV4-370	29281.....	MXV5-750
754-0225.....	MXV4-1070	754-0377.....	MXV4-710	37x5.....	MXV4-370	29798.....	MXV4-270	30839.....	MXV5-730
754-0226.....	MXV4-820	754-0428.....	MXV4-420	37x6.....	MXV4-370	30997.....	MXV4-470	30998.....	MXV4-420
754-0227.....	MXV5-630	754-0430.....	754-0430	37x7.....	MXV4-560	30998.....	MXV4-420	31053.....	MXV4-270
754-0228.....	MXV5-620	754-0431.....	754-0431	37x8.....	MXV4-630	36607.....	MXV5-630	39454.....	MXV4-880
754-0229.....	MXV4-520	754-0433.....	754-0433	37x9.....	MXV4-440	39455.....	MXV4-630	39456.....	MXV5-690
754-0230.....	MXV4-560	754-0434.....	754-0434	37x10.....	MXV4-850	41505.....	MXV4-350	42035.....	MXV3-400
754-0231.....	MXV4-280	754-0438.....	754-0438	37x11.....	MXV4-950	42111.....	MXV5-700	42132.....	MXV4-350
754-0232.....	MXV4-200	754-0439.....	754-0439	37x12.....	MXV4-550	42846.....	MXV4-500	42846.....	MXV4-500
754-0233.....	MXV4-210	754-0440.....	754-0440	37x13.....	MXV3-410	42858.....	MXV4-390	42881.....	MXV5-720
754-0234.....	MXV4-410	754-0441.....	754-0441	37x14.....	MXV4-430	43066.....	43066	43779.....	MXV4-560
754-0235.....	MXV4-350	754-0443.....	754-0443	37x15.....	MXV4-620	43979.....	MXV4-560	44148.....	MXV4-630
754-0236.....	MXV4-850	754-0444.....	754-0444	37x16.....	MXV4-590	44150.....	MXV4-410	44190.....	MXV4-320
754-0238.....	MXV4-920	754-0446.....	754-0446	37x17.....	MXV4-940	44264.....	MXV4-980	44313.....	MXV4-520
754-0239.....	MXV4-290	754-0453.....	754-0453	37x18.....	MXV4-820	45186.....	MXV4-630	45509.....	MXV4-530
754-0240.....	MXV5-380	754-0460.....	754-0460	37x19.....	MXV4-740	46466.....	MXV5-830	47200.....	MXV4-290
754-0241.....	MXV5-350	754-0461.....	754-0461	37x20.....	MXV4-770	47201.....	MXV4-250	47201.....	MXV4-250
754-0242.....	MXV4-320	754-0465.....	754-0465	37x21.....	MXV4-620	47390.....	MXV4-710	48044.....	MXV5-820
754-0243.....	MXV4-460	754-0466.....	754-0466	37x22.....	MXV4-990	48529.....	MXV3-450	48529.....	MXV3-450
754-0244.....	MXV4-400	754-0467.....	754-0467	37x23.....	MXV4-430	48530.....	MXV3-430	49330.....	49330
754-0245.....	MXV4-590	754-0468.....	754-0468	37x24.....	MXV4-590	49330.....	49330	49405.....	MXV4-880
754-0246.....	754-0246	754-0472.....	754-0472	37x26.....	MXV4-880	49570.....	MXV4-370	49878.....	49878
754-0247.....	MXV4-560	754-0474.....	754-0474	37x27.....	MXV4-830	50307.....	MXV3-280	50597.....	MXV4-305
754-0248.....	MXV4-890	754-0475.....	754-0475	37x28.....	MXV4-480	50737.....	MXV4-840	51249.....	MXV3-340
754-0249.....	MXV5-300	754-0476.....	754-0476	37x29.....	MXV3-390	51249.....	MXV3-340	53307.....	MXV3-430
754-0250.....	MXV4-530	754-0483.....	754-0483	37x30.....	MXV4-250	53499.....	MXV4-305	54758.....	MXV4-820
754-0251.....	MXV4-510	754-0486.....	754-0486	37x31.....	MXV4-930	SEARS/ROPER AYP			
754-0252.....	MXV4-330	754-0487.....	754-0487	37x32.....	MXV4-550	100717N.....	MXV4-690	101342N.....	MXV4-930
754-0253.....	MXV4-430	754-0488.....	754-0488	37x34.....	MXV4-770	106085X.....	MXV4-790	106412X.....	MXV4-690
754-0254.....	4L190	754-0497.....	754-0497	37x35.....	MXV4-900	10071N.....	MXV4-690	101342N.....	MXV4-930
754-0255.....	MXV4-370	754-0498.....	754-0498	37x36.....	MXV4-550	106085.....	MXV4-790	106412.....	MXV4-690
754-0256.....	MXV4-290	754-0498.....	754-0498	37x37.....	MXV4-500	106412.....	MXV4-690	106729.....	106729
754-0257.....	MXV3-380	754-0625.....	754-0625	37x38.....	MXV4-400	108597.....	MXV4-920	125907.....	MXV4-900
754-0260.....	754-260	754-0935.....	MXV4-310	37x39.....	37x39	125907.....	MXV4-900	131290X.....	131290X
754-0261.....	MXV4-560	754-0936.....	MXV4-470	37x40.....	MXV4-620	1563R.....	MXV5-500	1629J.....	MXV4-830
754-0264.....	MXV4-520	754-0937.....	MXV5-590	37x43.....	37x43	23214.....	MXV4-590	25726.....	MXV4-610
754-0266.....	MXV4-850	754-3003.....	MXV5-900	37x44.....	MXV4-500	3703J.....	MXV4-1000		
754-0267.....	MXV4-590	MURRAY							
754-0268.....	MXV5-510	201153.....	MXV4-620	37x45.....	MXV4-900				
754-0270.....	754-0270	20159.....	MXV4-440	37x46.....	MXV4-270				
754-0271.....	MXV3-390	20555.....	MXV4-410	37x47.....	MXV4-910				
754-0275.....	MXV4-380	20556.....	MXV4-480	37x49.....	MXV3-400				
754-0278.....	MXV4-300	20557.....	MXV4-460	37x50.....	MXV4-540				
754-0280.....	754-0280	20558.....	MXV4-640	37x51.....	37x51				
754-0281.....	754-0281	20715.....	MXV4-370	37x52.....	MXV4-540				
754-0282.....	MXV4-390	20716.....	MXV4-370	37x53.....	MXV4-730				
754-0283.....	754-0283	20717.....	MXV4-560	37x54.....	37x54				
754-0284.....	MXV5-410	21058.....	MXV4-630	37x55.....	MXV4-910				
754-0285.....	MXV4-340	20159.....	MXV4-440	37x56.....	37x56				
754-0290.....	MXV4-470	21614.....	MXV4-850	37x57.....	MXV4-540				
754-0291.....	754-0291	21615.....	MXV4-950	37x60.....	37x60				
754-0292.....	MXV4-260	21649.....	MXV4-550	37x61.....	MXV4-950				
754-0293.....	754-0293	26611.....	MXV3-380	37x62.....	37x62				
754-0294.....	MXV4-890								

LAWN AND GARDEN EQUIPMENT PART NUMBERS

NOTE: FHP Belt may be upgraded to the MXV Belt, however the FHP Belt SHOULD NOT be substituted for the MXV Belt

Alphabetical sequence by manufacturer

OEM # Belt No. OEM # Belt No. OEM # Belt No. OEM # Belt No. OEM # Belt No.

SEARS/ROPER

AYP
 3704J..... MXV5-1000
 3716R..... MXV4-870
 3717R..... MXV4-920
 4376J..... MXV4-490
 4832H..... MXV4-980
 48324..... MXV4-980
 51255R..... MXV4-680
 6474H..... MXV5-810
 67346..... MXV4-390
 67398..... MXV4-530
 6753J..... 6753J
 6941R..... B100
 6942R..... MXV4-870
 6943R..... MXV4-920
 70637..... MXV4-400
 71240..... MXV4-920
 74212..... MXV4-570
 83691..... MXV3-340
 8833H..... MXV5-730
 10884..... MXV4-930
 110883..... MXV4-990
 130969..... MXV4-930
 137078..... MXV3-320
 144200..... MXV4-870
 90003526..... MXV4-305

SCAG

24891..... 24891
 48081..... MVXV5-800
 4083..... MXV5-890
 48083..... MXV5-880
 48085..... MXV4-380
 48086..... 48086
 48089..... MXV5-900
 48202..... 48202
 48203..... MXV4-400
 48204..... MXV5-820
 48207..... MXV5-860
 48265..... MXV5-630
 48285..... MXV5-560
 48286..... MXV5-930
 48296..... B110
 48344..... MXV4-355
 48472..... MXV4-530
 48587..... 48587
 48607..... 48607
 48799..... 48799
 48854..... MXV4-420
 48912..... 48912
 48996..... 48996

SIMPLICITY

105115..... MXV4-610
 105287..... MXV4-880
 105340..... MXV5-960
 108505..... 108505
 108508..... MXV4-780
 163011..... MXV4-720
 172420..... MXV4-930
 174687..... MXV4-730
 174911..... MXV4-440
 1651201..... MXV4-730
 1656960..... MXV4-840
 1657806..... MXV4-360
 1664457..... MXV4-410
 1664644..... MXV4-1030
 1664946..... MXV4-570
 1666324..... MXV4-690
 1666698..... MXV4-900
 1668065..... MXV4-690
 1668066..... 1668066
 1703466..... 1703466
 8021077..... MXV4-390

SNAPPER

1-0084..... MXV4-230
 1-0108..... MXV4-240
 1-0109..... MXV4-400
 1-0178..... MXV4-530
 1-0192..... MXV5-410
 1-0193..... MXV5-260
 1-0253..... MXV4-450
 1-0451..... MXV4-410
 1-0749..... 1-0749
 1-1887..... 1-1887
 1-2353..... 1-2353
 1-2354..... 1-2354
 1-2508..... 1-2508
 1-3314..... MXV4-790
 1-4525..... 1-4525
 1-4799..... MXV4-1030
 1-4800..... MXV4-1030
 1-4801..... MXV4-940
 1-8236..... 1-8236
 1-9578..... 1-9578
 1-9607..... A37
 24891..... 24891
 76496..... MXV5-860
 76497..... (2 ea.) BX41
 76498..... MXV5-360
 76676..... B49
 76680..... B61
 76198..... MXV5-600

SUNBEAM

1210-8871C.. 1210-8871C

SWISHER

BA-50..... BA-50
 BA-58..... BA-58
 43-3119..... 43-3119
 43-3368..... 43-3368
 43-9447..... 43-9447
 66LR2..... 66LR2
 7-5018..... 7-5018
 7-5570..... 7-5570
 T-36..... MXV4-360
 T-223..... 4L230
 T-249..... MXV4-490

TORO

3-1182..... MXV3-330
 3-1183..... 3L170
 3-1560..... MXV4-500
 3-2451..... MXV4-300
 3-2604..... MXV4-350
 3-4579..... MXV4-470
 3-4733..... MXV5-290
 3-5583..... MXV4-430
 3-5843..... MXV4-450
 3-6348..... MXV4-430
 3-7274..... MXV3-320
 5-1628..... 3V400
 5-4505..... 5-4505
 7-0073..... MXV4-340
 7-0074..... MXV3-310
 7-0354..... MXV4-330
 7-0530..... MXV3-350
 7-0550..... MXV3-270
 7-0737..... MXV5-360
 7-0824..... MXV4-310
 7-0827..... MXV4-310
 7-0946..... MXV4-300
 7-2166..... MXV3-320
 7-3887..... MXV4-290
 7-3888..... MXV4-460
 7-3890..... MXV4-450
 7-4228..... MXV4-480
 7-4231..... MXV4-330

TORO

7-4232..... MXV4-710
 7-4233..... MXV4-600
 7-9160..... MXV4-570
 7-9390..... MXV4-600
 8-5660..... MXV3-330
 109803, 05..... 109803, 05
 11-1710..... MXV4-530
 11-1720..... MXV4-530
 11-1730..... MXV4-350
 11-1740..... MXV4-600
 12-4780..... MXV4-470
 12-6220..... MXV4-330
 12-6420..... MXV4-410
 12-6430..... MXV4-470
 12-6550..... MXV4-540
 12-8260..... MXV4-450
 17-0850..... MXV4-400
 17-6540..... MXV4-440
 18-8890..... MXV4-500
 19-2220..... MXV4-440
 19-2650..... MXV4-370
 19-6960..... MXV4-350
 20-1820..... MXV4-390
 23-9080..... MXV4-400
 24-8940..... MXV3-330
 24-9730..... MXV3-360
 25-6430..... 25-6430
 26-2770..... MXV4-500
 26-3550..... MXV3-340
 26-9670..... 26-9670
 27-1160..... 27-1160
 28-2650..... A100
 28-5250..... A51
 36-2930..... MXV4-1030
 36-8070..... MXV3-340
 37-6010..... 37-6010
 37-9080..... MXV3-300
 37-9090..... MXV3-290
 44-6260..... AA120
 47-1410..... MXV4-480
 47-1420..... MXV4-660
 51-4290..... 51-4290
 53-9660..... 53-9660
 54-2750..... 54-2750
 55-9300..... 55-9300
 67-1390..... 67-1390
 69-6220..... BB130
 75-9010..... 75-9010
 271-10..... MXV5-310
 271-38..... MXV5-290
 271-39..... MXV4-500
 271-42..... MXV4-390
 271-50..... MXV5-330
 271-58..... MXV4-340
 271-59..... MXV4-330
 271-73..... MXV4-370
 271-78..... MXV5-290
 271-81..... MXV4-390
 271-82..... MXV4-380
 271-91..... MXV5-480
 271-97..... MXV4-450
 271-99..... MXV4-610
 271-104..... MXV4-380

WHEEL HORSE

1526..... MXV4-220
 1552..... MXV4-370
 1553..... MXV4-360
 1554..... MXV4-240
 1555..... MXV4-440
 1556..... MXV4-200
 1561..... MXV4-300
 1562..... MXV4-880
 1563..... MXV4-390
 1564..... 4L190

WHEEL HORSE

1566..... MXV4-350
 1567..... MXV4-290
 1570..... MXV4-690
 1571..... MXV4-320
 1572..... MXV4-340
 1573..... MXV4-300
 1574..... MXV4-330
 1576..... MXV4-700
 1577..... MXV4-280
 1578..... MXV3-370
 1579..... MXV4-240
 1580..... MXV4-310
 1583..... (2 ea) 3VX315
 1584..... MXV3-510
 1585..... MXV4-760
 1586..... MXV4-760
 1587..... MXV4-430
 1592..... MXV4-820
 1593..... MXV3-350
 1594..... MXV4-1070
 1595..... MXV4-670
 1596..... MXV4-510
 1597..... MXV3-250
 1598..... MXV4-220
 2539..... MXV3-340
 5950P..... MXV4-280
 6489..... MXV4-780
 6573..... MXV4-380
 6737..... MXV4-680
 6738..... MXV4-860
 6771..... MXV4-710
 6993..... MXV4-220
 7358..... MXV4-660
 7430..... MXV4-280
 7473..... MXV5-820
 7478..... MXV5-840
 7776..... MXV4-870
 7927..... A76
 8005..... MXV4-720
 8133..... MXV4-740
 8160..... B80
 8334..... MXV5-850
 8411..... MXV4-770
 8412..... MXV4-860
 8430..... MXV4-590
 8911..... MXV4-770
 8975..... MXV4-580
 8976..... MXV4-550
 9151..... MXV5-900
 9360..... MXV4-960
 9430..... MXV4-360
 9431..... MXV4-390
 9691..... MXV4-700
 9714..... MXV4-760
 9782..... MXV4-690
 9783..... MXV4-710
 101137..... MXV4-890
 101142..... MXV5-800
 102607..... MXV4-890
 102741..... A95
 102742..... A100
 102743..... MXV5-670
 102868..... MXV4-1050
 103084..... MXV5-380
 103345..... MXV3-250
 103522..... MXV5-850
 103635..... MXV3-290
 104290..... MXV3-290
 104388..... MXV4-550
 104865..... MXV4-550
 105476..... MXV4-800
 105477..... MXV4-400
 106125..... MXV4-890
 106516..... MXV4-830
 106518..... MXV4-870
 106523..... MXV4-410

WHEEL HORSE

106533..... MXV4-400
 106751..... MXV4-700
 107298..... MXV4-720
 107320..... MXV4-600
 107647..... MXV4-830
 107740..... MXV5-840
 107769..... MXV4-890
 108195..... MXV4-670
 108196..... MXV4-500
 108427..... MXV4-880
 108491..... MXV4-670
 108502..... MXV4-830
 108834..... MXV4-980
 109427..... MXV4-770
 109428..... A74
 109803, 05..... 109803, 05
 110141..... MXV4-410
 110376..... 110376
 112114..... 112114
 113105..... MXV4-330
 114421..... MXV4-540
 225282..... MXV4-410
 225360..... MXV4-630
 250105..... MXV4-400
 251028..... MXV3-240
 517433..... 3VX355
 517436..... MXV4-440

YAZOO

205-028..... MXV4-280
 205-035..... MXV4-350
 205-036..... MXV4-360
 205-041..... MXV4-410
 205-044..... MXV4-440
 205-055..... MXV4-550
 205-061..... B61
 205-066..... BX66
 205-074..... B73
 205-144..... A42
 205-310..... 3V1000
 205-331..... MXV3-330
 205-345..... 3VX450
 205-353..... 3VX530
 205-356..... 3VX560
 205-360..... 3VX600
 205-367..... 3VX670
 205-375..... 3VX750
 205-380..... 3VX800
 205-390..... 3VX900
 205-395..... 3VX950
 205-425..... MXV4-250
 205-426..... MXV4-260
 205-469..... MXV4-690
 205-505..... 205-505
 205-513..... MXV5-960
 205-514..... 205-514
 205-670..... 3VX670

*MULTI-PLUS V-BELTS

"3L" SECTION 3/8" Top x 7/32" Thick x 40° Angle

Belt Number	Outside Length	List Price
3L 140	14"	\$ 4.72
3L 150	15"	4.72
3L 160	16"	4.72
3L 170	17"	4.72
3L 180	18"	4.72
3L 190	19"	4.72
3L 200	20"	4.72
3L 210	21"	4.72
3L 220	22"	4.72
3L 230	23"	4.72
3L 240	24"	4.72
3L 250	25"	4.72
3L 260	26"	4.80
3L 270	27"	4.88
3L 280	28"	4.96
3L 290	29"	5.04
3L 300	30"	5.12
3L 310	31"	5.16
3L 320	32"	5.24
3L 330	33"	5.32

Belt Number	Outside Length	List Price
3L 340	34"	\$ 5.40
3L 350	35"	5.52
3L 360	36"	5.60
3L 370	37"	5.72
3L 380	38"	5.84
3L 390	39"	5.96
3L 400	40"	6.08
3L 410	41"	6.20
3L 415	41.5"	6.28
3L 420	42"	6.28
3L 430	43"	6.36
3L 440	44"	6.44
3L 450	45"	6.56
3L 460	46"	6.64
3L 470	47"	6.76
3L 480	48"	6.84
3L 490	49"	6.92
3L 500	50"	7.00
3L 510	51"	7.08

Belt Number	Outside Length	List Price
3L 520	52"	\$ 7.16
3L 530	53"	7.24
3L 540	54"	7.32
3L 550	55"	7.40
3L 560	56"	7.48
3L 565	56.5"	7.56
3L 570	57"	7.56
3L 580	58"	7.72
3L 590	59"	7.72
3L 600	60"	7.80
3L 610	61"	7.92
3L 620	62"	8.00
3L 630	63"	8.08
3L 640	64"	8.16
3L 650	65"	8.32
3L 660	66"	8.40
3L 670	67"	8.52
3L 690	69"	8.60
3L 730	73"	9.08
3L 740	74"	9.20

**"A" SECTION 1/2" Top x 11/32" Thick x 40° Angle

Belt Number	Outside Length	List Price
A 26 (4L 280)	28"	\$ 5.20
A 27 (4L 290)	29"	5.28
A 28 (4L 300)	30"	5.40
A 29 (4L 310)	31"	5.48
A 30 (4L 320)	32"	5.60
A 31 (4L 330)	33"	5.60
A 32 (4L 340)	34"	5.68
A 33 (4L 350)	35"	5.80
A 34 (4L 360)	36"	5.88
A 35 (4L 370)	37"	6.00
A 36 (4L 380)	38"	6.00
A 37 (4L 390)	39"	6.00
A 38 (4L 400)	40"	6.40
A 39 (4L 410)	41"	6.64
A 40 (4L 420)	42"	6.68
A 41 (4L 430)	43"	6.72
A 42 (4L 440)	44"	6.80
A 43 (4L 450)	45"	7.00
A 44 (4L 460)	46"	7.04
A 45 (4L 470)	47"	7.12
A 46 (4L 480)	48"	7.20
A 47 (4L 490)	49"	7.32
A 48 (4L 500)	50"	7.40
A 49 (4L 510)	51"	7.48
A 50 (4L 520)	52"	7.52
A 51 (4L 530)	53"	7.60
A 52 (4L 540)	54"	7.64
A 53 (4L 550)	55"	7.80

Belt Number	Outside Length	List Price
A 54 (4L 560)	56"	8.00
A 55 (4L 570)	57"	8.00
A 56 (4L 580)	58"	8.20
A 57 (4L 590)	59"	8.24
A 58 (4L 600)	60"	8.28
A 59 (4L 610)	61"	8.32
A 60 (4L 620)	62"	8.40
A 61 (4L 630)	63"	8.52
A 62 (4L 640)	64"	8.60
A 63 (4L 650)	65"	8.80
A 64 (4L 660)	66"	8.92
A 65 (4L 670)	67"	9.00
A 66 (4L 680)	68"	9.00
A 67 (4L 690)	69"	9.12
A 68 (4L 700)	70"	9.20
A 69 (4L 710)	71"	9.60
A 70 (4L 720)	72"	9.60
A 71 (4L 730)	73"	9.64
A 73 (4L 750)	75"	9.80
A 74 (4L 760)	76"	9.88
A 75 (4L 770)	77"	10.00
A 76 (4L 780)	78"	10.16
A 77 (4L 790)	79"	10.24
A 78 (4L 800)	80"	10.40
A 79 (4L 810)	81"	10.64
A 80 (4L 820)	82"	10.80
A 81 (4L 830)	83"	11.00
A 82 (4L 840)	84"	11.12

Belt Number	Outside Length	List Price
A 83 (4L 850)	85"	11.28
A 84 (4L 860)	86"	11.40
A 85 (4L 870)	87"	11.60
A 86 (4L 880)	88"	11.76
A 87 (4L 890)	89"	11.92
A 88 (4L 900)	90"	12.08
A 89 (4L 910)	91"	12.24
A 90 (4L 920)	92"	12.40
A 91 (4L 930)	93"	12.56
A 92 (4L 940)	94"	12.68
A 93 (4L 950)	95"	12.80
A 94 (4L 960)	96"	12.96
A 95 (4L 970)	97"	13.08
A 96 (4L 980)	98"	13.20
A 97 (4L 990)	99"	13.36
A 98 (4L 1000)	100"	13.52
A 99	101"	13.62
A 100	103"	13.76
A 105	107"	14.40
A 110	112"	15.60
A 112	114"	16.00
A 116	118"	16.64
A 120	122"	17.20
A 124	126"	17.80
A 128	130"	18.40
A 136	138"	19.44
A 144	146"	22.56
A 158	160"	22.60

**"B" SECTION 21/32" Top x 7/16" Thick x 40° Angle

Belt Number	Outside Length	List Price
B 22 (5L 250)	25"	\$ 6.80
B 23 (5L 260)	26"	7.00
B 24 (5L 270)	27"	7.20
B 25 (5L 280)	28"	7.40
B 26 (5L 290)	29"	7.52
B 27 (5L 300)	30"	7.56
B 28 (5L 310)	31"	7.60
B 29 (5L 320)	32"	7.68
B 30 (5L 330)	33"	7.72
B 31 (5L 340)	34"	7.80
B 32 (5L 350)	35"	7.84
B 33 (5L 360)	36"	7.96
B 34 (5L 370)	37"	7.96
B 35 (5L 380)	38"	8.00
B 36 (5L 390)	39"	8.20
B 37 (5L 400)	40"	8.60
B 38 (5L 410)	41"	8.80
B 39 (5L 420)	42"	9.08
B 40 (5L 430)	43"	9.16
B 41 (5L 440)	44"	9.20
B 42 (5L 450)	45"	9.60
B 43 (5L 460)	46"	9.72
B 44 (5L 470)	47"	9.72
B 45 (5L 480)	48"	10.00
B 46 (5L 490)	49"	10.40
B 47 (5L 500)	50"	10.46
B 48 (5L 510)	51"	10.80
B 49 (5L 520)	52"	10.88
B 50 (5L 530)	53"	11.00
B 51 (5L 540)	54"	11.20
B 52 (5L 550)	55"	11.24
B 53 (5L 560)	56"	11.40
B 54 (5L 570)	57"	11.52
B 55 (5L 580)	58"	11.60
B 56 (5L 590)	59"	11.68
B 57 (5L 600)	60"	11.72
B 58 (5L 610)	61"	11.76


Belt Number	Outside Length	List Price
B 59 (5L 620)	62"	11.96
B 60 (5L 630)	63"	12.00
B 61 (5L 640)	64"	12.20
B 62 (5L 650)	65"	12.40
B 63 (5L 660)	66"	12.48
B 64 (5L 670)	67"	12.56
B 65 (5L 680)	68"	12.64
B 66 (5L 690)	69"	12.96
B 67 (5L 700)	70"	13.08
B 68 (5L 710)	71"	13.20
B 69 (5L 720)	72"	13.76
B 70 (5L 730)	73"	14.00
B 71 (5L 740)	74"	14.08
B 72 (5L 750)	75"	14.20
B 73 (5L 760)	76"	14.28
B 74 (5L 770)	77"	14.36
B 75 (5L 780)	78"	14.40
B 76 (5L 790)	79"	14.72
B 77 (5L 800)	80"	14.96
B 78 (5L 810)	81"	15.00
B 79 (5L 820)	82"	15.24
B 80 (5L 830)	83"	15.48
B 81 (5L 840)	84"	15.60
B 82 (5L 850)	85"	15.80
B 83 (5L 860)	86"	16.12
B 84 (5L 870)	87"	16.20
B 85 (5L 880)	88"	16.40
B 86 (5L 890)	89"	16.56
B 87 (5L 900)	90"	16.72
B 88 (5L 910)	91"	16.88
B 89 (5L 920)	92"	17.04
B 90 (5L 930)	93"	17.20
B 91 (5L 940)	94"	17.36
B 92 (5L 950)	95"	17.52
B 93 (5L 960)	96"	17.68
B 94 (5L 970)	97"	17.88
B 95 (5L 980)	98"	18.04
B 96 (5L 990)	99"	18.20

Belt Number	Outside Length	List Price
B 97 (5L 1000)	100"	18.80
B 99	102"	19.16
B 100	103"	19.16
B 103	106"	19.48
B 104	107"	19.60
B 105	108"	20.00
B 108	111"	20.68
B 110	113"	21.16
B 111	114"	21.36
B 112	115"	21.60
B 114	117"	22.00
B 115	118"	22.08
B 116	119"	22.20
B 118	121"	22.52
B 120	123"	22.80
B 124	127"	23.60
B 126	128"	24.00
B 128	131"	24.40
B 133	136"	25.00
B 136	139"	25.60
B 140	143"	26.60
B 144	147"	27.60
B 152	155"	29.00
B 158	161"	30.00
B 162	165"	30.80
B 173	176"	32.80
B 180	183"	34.40
B 195	198"	37.20
B 210	213"	40.00
B 225	228"	42.60
B 240	243"	45.20
B 255	258"	48.80
B 270	273"	51.20
B 285	288"	53.20
B 300	330"	56.80
B 315	318"	59.60
B 330	333"	62.40
B 360	363"	80.00

*Dual Branded i.e. A40 (4L420) ... B78 (5L810)


Belt Constructions

MXV™ MEGA-POWER BELT




Jason **MXV** belts are recommended for **Heavy Duty Lawn and Garden** equipment, especially where **superior load carrying capacity**, extra heavy **clutching** and **reverse bend** characteristics are required. New length-stable **ARAMID** cord provides **higher tensile strength** and requires fewer take-ups. High quality synthetic compounding results in **longer life** and greater heat and oil resistance.

CROSS SECTIONS AVAILABLE




MULTI-PLUS BELT




Built with super strength cords, withstands overloads, shocks, vibrations and pulsations; resists extreme temperatures, humidity and excessive oil; high static conductivity.

CROSS SECTIONS AVAILABLE




MOLDED COG BELT




The premier V-Belt for industrial applications; extremely flexible for substandard sheaves; greater horsepower rating for longer service life; operates with lower drive tension. Its combination of molded cogs and Raw-Edge construction allows Jason Cog-Belt to bend more easily around the sheave. This means less energy is wasted so less energy is required from the motor. Belt is static dissipating.

CROSS SECTIONS AVAILABLE



GRIP-FLEX






Grip-Flex's stress-relieved bias cut side walls provides maximum flexibility and gripping action while adding increased horsepower capacity. Layers of laminated fabric provide resistance to cracking when engaged in clutching actions. Hi-Modulus polyester or aramid cord specially treated to maintain belt loads without stretching.

Neoprene core rubber provides ideal resistance to flex fatigue, oil and heat degradation.

WEDGE V-BELT

The deep V-design of the **Wedge V-Belt** enables a smaller belt to carry a bigger load. It can operate at higher speeds up to 6,500 feet-per-minute. In most installations, smaller diameter sheaves can be used permitting shorter center distances. Heat and oil resistant, static dissipating.



CROSS SECTIONS AVAILABLE



DOUBLE ANGLE V-BELT



For serpentine type drive applications where power must be transmitted to sheaves from both sides of the belt. One or more of the driven sheaves can be operated in a reverse direction without crossing belt. The **Double Angle V-Belt** flexes equally well in either direction and provides natural wedging action on both sides for maximum pulling power regardless of which side of the belt engages the sheave. Belt is static dissipating.

CROSS SECTIONS AVAILABLE





MULTI V-BELT

Delivers 50% more horsepower in two-thirds the space required for standard belts. For high-speed, high-ratio applications where compact drive conditions exist.



UNI BAND (Machined Edge)

Musled with high strength, low stretch aramid tension members for extended flex life and excellent resistance to shock loads. **Laminated** style is designed specifically for backside idler operation, lower belt laminations reduce surface fatigue and resist cracking. Where drive application requires secure power engagement over small diameter pulleys, **Molded Cogged** style resists slippage, even at low drive tensions.



TERMS, CONDITIONS AND LIMITED WARRANTY OF SALE

All prices, terms and conditions of sale are subject to change without prior notice. Buyer agrees to all terms and conditions of seller upon the placement of any and all purchase orders.

GENERAL

- All orders are subject to a minimum charge of \$25.00.
- All claims must be made within seven (7) days of receipt of merchandise.
- The company reserves the right at all times to reject any and all orders for any reason.

PAYMENT TERMS

- Net 30 days (to approved and qualified accounts).
- We reserve the right to hold shipments against past due accounts.
- Seller may require full or partial payment in advance if, in its sole judgement, the financial condition of the buyer does not justify the terms specified.
- All past due accounts are subject to a late payment charge of 1.5% per month, or maximum allowed by law if different, along with the expenses incidental to collection including reasonable attorney's fees.
- Returned checks are subject to a minimum \$50.00 charge.

FREIGHT TERMS

- Freight Prepaid on \$1,000 net.
- Orders with different numbers and dates may not be combined to make freight allowance.
- Prepaid orders requiring immediate delivery that must be shipped from different *Jason* locations may be subject to a freight surcharge. Such determination will be made at the time of order.
- Backorders will be shipped in the most practical fashion with charges consistent with our freight policy established with the original order.

ACCEPTANCE, ALTERATION AND CANCELLATION OF ORDERS

Orders for other than standard items or standard lengths may not be cancelled after purchase has been committed, production scheduled or any costs incurred.

RETURN OF DEFECTIVE MERCHANDISE

Defective or failed material to be held at the buyer's premises until authorization has been granted by seller to return or dispose of merchandise. Merchandise to be returned for final inspection must be returned Freight Prepaid in the most economical way. Credit will be issued for material found to be defective upon our inspection based on prices at time of purchase.

MERCHANDISE SHIPPED IN ERROR

Buyer must notify seller immediately on any merchandise shipped in error. Upon notification, merchandise is to be returned to seller either via truck on a Freight Collect basis, via carrier of our choice, or via UPS on a Freight Prepaid basis. Buyer will be reimbursed for cost of merchandise, plus any additional freight which may have been incurred due to shipping error.

MERCHANDISE ORDERED IN ERROR

Standard packaged merchandise only may be returned, provided that the merchandise is in the original buyer's possession not more than 30 days. If merchandise is accepted for return, merchandise must be returned Freight Prepaid, and buyer will be charged a minimum of 15% rehandling charge, plus a chargeback for outbound freight charges if the original order was shipped prepaid. Returns are not accepted for any merchandise that is specifically manufactured to meet the buyer's requirement of either specifications or large quantity.

DELIVERY, DAMAGES, SHORTAGES

Delivery to the initial common carrier shall constitute the delivery to the buyer. Our responsibility, insofar as transportation risks are concerned, ceases upon the delivery of the merchandise in good condition to such a carrier, and all the merchandise shall be shipped at the buyer's risk.

GOODS DAMAGED IN SHIPMENT

Upon receipt of shipment, any evidence of damage to original shipping package must be reported by the receiving party and a claim made with the delivering carrier upon receipt of shipment.

CONCEALED DAMAGE

Any evidence of damage to material shipped, upon the opening of the original shipping package, must be reported by the receiving party to and a claim made with the delivering carrier without delay.


LIMITED WARRANTY

The merchandise or products sold or distributed by Jason Industrial, Inc. are warranted to our customers to be free from defects in material and workmanship at the time of shipment by us. All warranty claims shall be made within 90 days after we have shipped the merchandise. Our liability hereunder is limited to the purchase price of any merchandise proved defective, or, at our option, to the replacement of such merchandise upon its authorized return to us.


THIS WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE CREATED UNDER APPLICABLE LAW INCLUDING, BUT NOT LIMITED TO, THE WARRANTY OF MERCHANT ABILITY AND THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL WE BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF PROFITS.




JASON PRODUCT CATALOGS




Power Transmission Belts
Catalog JB-7




Urethane Power
Transmission Belts
Catalog UB-4




Industrial
Hose & Couplings
Catalog HC-6




Accu-Link Belts
Catalog AL-4




Tiger High Horsepower
Synchronous Belts
Supplement




Air Conditioning
Refrigeration
Catalog SW1001-9



Lawn & Garden Belts
Catalog LG-1006



Sheaves, Timing Pulleys
& Bushings
Catalog JI-3



Synchronous Belt
Technical Manual TM-2

Contact Jason Industrial for additional information.

Visit us online at
www.jasonindustrial.com

JASON LAWN & GARDEN REPLACEMENT BELTS

www.jasonindustrial.com

Jason Locations

**Corporate Office
Central Warehouse**
Jason Industrial, Inc.
340 Kaplan Drive
Fairfield, NJ 07004
973-227-4904
FAX: 973-227-1651

Branch Offices & Warehouses
Jason Industrial, Inc.
258 S. Westgate Drive
Carol Stream, IL 60188-2243
630-752-0600
FAX: 630-752-0680

Jason Industrial, Inc.
3236 Royalty Row
Irving, TX 75062
972-438-6992
FAX: 972-721-9162

Jason Industrial, Inc.
3724 East 26th Street
Los Angeles, CA 90023
323-265-8061
FAX: 323-265-0813

Jason Industrial, Inc.
1212 N. 39th Street, STE. 218
Tampa, FL 33605
813-241-4111
FAX: 813-241-4212

Jason Do Brazil Ltda.
Avenida Armando Panunzio 610
Sorocaba - Sao Paulo
Brazil CEP 18050-000
011 55 15 222 00 07
FAX: 011 55 15 222 90 12 or
011 55 15 222 75 65

Jason Industrial Canada Ltd.
9135 Cote De Liesse
Dorval, Quebec H9P-2N9
514-631-6781
FAX: 514-631-7408

Jason Industrial Canada Ltd.
927 Matheson Blvd, East
Mississauga, Ontario L4W-2R7
905-602-4400
FAX: 905-602-4406

Jason Industrial Canada Ltd.
4242 99th St.
Edmonton, Alberta T6E-5B3
780-461-4400
FAX: 780-461-1034

Jason Industrial, S. De R.L. De C.V.
AV. Ceylan No. 959 Bodega 36
Col. Industrial Vallejo C.P. 02300
Azcapotzalco, Mexico D.F.
005255873680/5873785/5877374
FAX: 005255873688



All recommendations for the use of the products described herein and all other data or information set forth in this publication, whether concerning such products or otherwise, are furnished without any guarantee, warranty representations or inducement of any kind whether expressed or implied, including but not limited to implied warranties of merchantability and fitness for a particular purpose. And Jason expressly disclaims liability under any theory, including without limitation, contract negligence, misrepresentation or breach of any obligation relating to the recommendation, data or information set forth herein. Readers and customers are encouraged to conduct their own test before using any product. Read its label and all related instructions. The information in this publication is not intended as permission or recommendations to practice a patented invention without permission of the patent owner.